multiPANEL

\$collection



waterproof walls, floors & ceilings

2012









multiPANEL gcollection

...for the home & for the trade

The **multiPANEL** collection is a family of waterproof walls, floors and ceilings ideal for **bathrooms**, **shower** areas, **kitchens** and all around the home. Easy to install and even easier to maintain, the cost-effective ranges offer endless opportunities for both renovation and new-build.

Grant Westfield has an enviable reputation in the manufacture of commercial cubicles, wall lining and access systems*. Based on this experience and knowledge, the **multiPANEL** collection has been designed to meet the needs of the commercial market.



Contents

multi PANEL	4
tile PANEL	6
twin FLOOR stick	8
twin FLOOR click	10
ceiling PANEL	12
vanity tops	14
cleanPANEL	15
sound PANEL	16
Accessories	17
Colours	18
Shower/Bath Kits	23

 st for further information please contact our marketing department, or visit www.grantwestfield.co.uk









multiPANEL the luxury alternative to tiling

Whether you are fed up of tile grouting, or are simply looking for a new and fresh look for your bathroom, **multiPANEL** waterproof wall panels provide the perfect solution. All 30 stock colours are the same price, leaving you free to choose from our wide range of patterns, finishes and colours.


The panels can be applied to timber battens or directly bonded to the wall, with a range of aluminium sections permitting quick and easy installation. Our precisely engineered Hydro-lock tongue and groove joint (see p.19) allows a tight and discrete joint to be created between panels. Watertight sealing of **multiPanel** is achieved using silicone sealant at all joints.

As an alternative to using end caps, panels can be lipped with a PVC edging to compliment your chosen décor. Bath/shower tray seal kits, access kits, adhesive and sealant (see p.17) and all-in-one kits for showers or baths (see p.23) are all available to order. In addition to bathrooms, the versatile and durable panels are suitable for a variety of domestic and commercial applications.

Technical Information

- 9mm WBP plywood core
- Bonded with decorative face and white balancer high pressure laminate
- 2400 x 1200 x 11mm (nominal 8' x 4') available from stock
- Panels can be cut to any size
- Allowances to be made for Hydro-lock T&G panels (see p. 19)
- Available in 30 colours (see p.18)

metal section range (Supplied in 2.45m lengths, see p.19 for colours)





No more grouting!

WBP plywood core

Durable, waterproof system

Quick to install

Clean and hygienic



2 tile sizes



tilePANEL is the tactile space saving solution for wet areas, allowing you to create an attractive tiled effect quickly and easily. **tilePANEL** is designed with simulated tile patterns to give that authentic feel.

tilePANEL is available in 10 colours on double-sided panels, with a small, gloss tile on one side, and a larger matt tile on the reverse.

tilePANEL can be either be ordered in individual panels and profiles, or as an all in one shower kit (see p.23). Panel adhesive and silicone sealant is also available to order.


The panels are manufactured with embossed grout lines that ensure mould free surfaces, with minimal maintenance.

Technical Information

3mm compact grade laminate.
Tactile, simulated tile effects
Double-sided panels available in two tile sizes
Mosaic (gloss) 23.5x23.5mm with 3mm grout line
Large (matt) 47x47mm with 4mm grout line

2440 x 1220mm (nominal 8' x 4') available from stock
Available in 10 colours with 2 tile variations (see p.20)

metal section range (Supplied in 2.5m lengths. See p.19 for colours)





Install over existing tiles

Completely waterproof

Only 3mm thick

Double-sided panels



twinFLOOR*stick the floating, self-bond vinyl floor

twinFLOORstick is a waterproof vinyl flooring range consisting of two layers with an innovative overlapping GlueStrip assembly. This enables quick and simple fitting without the cost associated with installation of comparable quality vinyl floors.

With a 0.3mm wear layer, and hard-wearing surface, **twinFLOORstick** tiles and planks are perfect for domestic and light commercial waterproof flooring. To make the most of **twinFLOORstick**, home-care kits are available to order (see p. 17).

Overlapping GlueStrip assembly

No adhesive required

Easy to cut and fit

Completely waterproof

Replace individual tiles/planks

Technical Information

- 3.8mm vinyl
- · 0.3mm wear layer
- R10 slip resistance
- 2.23m² coverage per pack
- Wood planks supplied in packs of 16 pieces, each 36" x 6" (914 x 152mm)
- · Wood planks are supplied with a micro-bevelled edge
- Tiles are supplied in packs of 8 pieces, each 36" x 12" (914 x 304mm)
- Available in 10 colours; 5 wood plank and 5 tile effect (see p. 21)

Fitting twinFLOORstick really is as simple as...











twinFLOOR click the floating, self-lock vinyl floor

twinFLOORclick is the next generation of floating vinyl flooring from Grant Westfield, and combines the benefits of **twinFLOORstick** with the new 'EasyClic' locking profile for a fast, dry installation. The waterproof floor has a tough 0.5mm wear layer and is coated with ceramic beads for added wear and durability, making it ideal for commercial as well as domestic use.

twinFLOORclick planks are manufactured with bevelled edges and with a deep, registered embossing to create an authentic real wood effect. **twinFLOORclick** tiles are available in beautiful natural stone patterns and come with a bevel that adds clarity and distinction to the finished effect.



Fitting twinFLOORclick really is as simple as...

Angle







Lock





Inter-locking assembly

Commercial grade

Glue free installation

Quick and simple to lay

Completely waterproof



ceilingPANEL the light and easy PVC ceiling

ceilingPANEL is quick and easy to install, wipes clean in seconds and is the ideal partner for the **multiPANEL** and **tilePANEL** wall panelling ranges. With an opaque face, **ceilingPANEL** is suitable for domestic and commercial applications.

ceilingPANEL profiles can be used as trims or decorative in-fills between panels. In some cases it may be necessary to trim off the panel tongues or grooves before fitting.

Technical Information

8mm rigid PVC

Class I surface spread of flame


2700 x 250mm tongue and grooved panels

2.7m² coverage per pack

Do not use in areas subject to temperatures over 60°c (keep out of direct sunlight)

Available in 6 colours (see p.22)

PVC section range (Supplied in 2.7m lengths, see p.17 for colours)



ceilingPANEL is supplied in tongue & groove panels which simply slot together.



Impervious to moisture

Class I fire rating

Tongue and groove assembly

Easy to handle and install

Economic



multiPANEL vanity tops bull-nosed shelving elements

Simple, elegant and durable, **multiPANEL** vanity tops are available in 21 matching **multiPANEL** finishes. The option to contrast or co-ordinate with **multiPANEL** or **tilePANEL** wall panels produces stunning results.

multiPANEL vanity tops allow you to create beautiful vanity and shelving areas, and the gentle rolled front edge offers a unique blend of warmth and luxury certain to enhance any bathroom suite.

Technical Information

- 25mm MR MDF core
- Bonded with post-forming grade laminate and white balancing laminate
- 2400 x 380 x 27mm* as standard
- Tops can be cut to size or manufactured to a greater depth than 380mm
- Available in 21 multiPANEL colours (denoted as VT on pages 18 19)

*(excludes Sezanne Pearl which is 2000 x 380 x 27mm as standard)



cleanPANEL


the extra height solution for hygienic walls

For areas over 2400mm high, **cleanPANEL** is the ideal wall panel at 3050×1220 mm. Floor to ceiling installations are made easy with aluminium corner, jointing and end cap sections.


Manufactured to BS EN 438 standards, and with a class I spread of flame fire rating and 10 year warranty, cleanPANEL is ideal for sanitary areas, laboratories, clean rooms as well as in the home, as the chemical resistant, smooth face simply wipes clean.



metal section range (Supplied in 3050mm lengths. See p.19 for colours)







Accessories



2 gel-audio[™] speakers attach to the back of a panel, reverberating sound waves through the panel core - effectively turning it into a speaker! No visible wires, no apertures, no grilles - just stunning panel finishes and high quality audio! Kit now comes with built-in FM radio.

MP3/iPod compatible

Built in radio amp

Compatible with external audio sources

Touch-pad or remote control



Pack includes:

2 Gel Audio Speaker Units 20 Watt (RMS) per channel amp with built in FM Radio Power supply Input jack fitted socket

Power supply
Input jack fitted socket
10m speaker cable
0.5m jack to jack cable
Remote Control
Full installation instructions





multiPANEL access

This all-in-one kit allows you to create quick and easy access to all your services.

Simply cut your **multiPANEL** access, using the card template on the inside of the packaging as a guide, or create your own shape. The flexible extrusion and concealed screw fixing seal the panel, but permit quick, simple access to any of your services.





multiPANEL seal

multiPANEL seal is a two part shower tray and bath sealing system comprising a PVC strip and a high performance white silicone. The 'movement joint' expands and contracts to offer a stylish and reliable bottom seal for multiPANEL.

- Flexible
- Durable
- Hygienic
- Attractive





PANEL adhesive and sealant

Suitable for use on multiPANEL, tilePANEL and ceilingPANEL, Grant Westfield Panel Adhesive can also be used on a range of materials including skirting boards, door frames, plasterboard and general DIY.

Silicone sealant is also available to order from Grant Westfield in white or clear finish.






twinFLOORstick homecare kits

Once your new twinFLOORstick has been laid, you will naturally want to preserve it's beautiful appearance and condition. Our home-care kit will allow you to ensure best installation, preservation, and in case of damage, reparation of twinFLOORstick.



Colour range

multiPANEL the luxury alternative to tiling




Hydro-lock

G- Gloss Finish **T**-Textured **VT** - available as vanity tops





To join two panels together without a Type D mid-joint, multiPANEL can be manufactured with our precisely engineered hydro-lock edge detail to create an extremely tight, almost invisible joint



Glacier

PP5703

Limestone

7182






Beige Eiger PP5080 Blue Eiger PP5081





Frost White Sezanne Pearl 049 369H





Aluminium Laminate 328






Patina Bronze 0794

Technical Information

- When manufacturing hydro-lock joints, 18.5mm is lost from the original panel width, e.g,
 - 2400x598mm = 2400x579.5mm finished face size
 - 2400×1200mm = 2400×1181.5mm finished face size
 - Hydro-lock panels are supplied as standard with a tongued edge and a grooved edge
- Hydro-lock panels should be conditioned at normal room temperate for 48-72 hours prior to installation, particularly during cold spells.
- Panels should be fitted 'grooved' edge first, and the 'tongued' edge of the next panel angled in and pushed back until it snaps into place.
- A narrow bead of silicone sealant must be applied to the
- shoulder of the 'tongue'
 Accuracy of pattern alignment between pan-depending on the scale of the pattern
 Full fitting instructions should be read prior


<u>Profiles</u>




- Type X profile is only available in satin anodised silver
- Type P profile is only available in bright polished silver
- *** Type M profile (silver) is supplied with two narrow silver strips above and below the white cove profile

Colour range


tilePANEL tile effect waterproof walls



























Panels are double-sided with a small gloss tile on one side, and a large matt tile on the reverse, as shown. The samples shown here are a representation of the actual tile pattern size and colour and are not always 100% accurate. Please check with sample swatches from Grant Westfield Ltd or your local distributor.


twinFLOOR*stick the floating, self-bond vinyl floor





















African Mahogany

twinFLOOR click the floating, self-lock vinyl floor



Campania Travertine MTFCCAM



Toscana Marble MTFCTOS



- A Satin
- **B** Slate
- **C** − In Register
- **D** Barnside
- **■** Hand-scraped



Lombardia Marble MTFCLOM



Rimini MTFCRIM









Markham Oak MTFCMAR




Classic Oak

The amount of pattern on twinFLOORclick tiles varies between tiles to ensure the most realistic effect is created across the whole installation. Therefore the printed samples above may not represent the overall effect once the floor is laid. Throughout this brochure, colour samples and photographs used are a representation of the actual colour and are not always 100% accurate. Please check all colours with sample swatches from Grant Westfield Ltd or your local distributor. Grant Westfield reserve the right to change the range of colours available.

Colour range

ceilingPANEL the light and easy PVC ceiling



Picture it...



We appreciate that your multiPANEL collection products form an integral part of an important purchase, and you may need reassurance that they will look the way you imagined. That's why we have created a virtual bathroom on www.multipanel.co.uk, where you can also request colour samples and find your local showroom/distributor.

Once you have decided on your colour scheme and the products are installed, you can enter our 'your photos' competition - please visit our web site for further details, terms and conditions.

Validation of Warranty

We aim to ensure you are fully satisfied with your purchase, and therefore stress the importance of reading our installation guidelines prior to installation. Given the diversity of our product range, a number of different factors must be considered and addressed for each product before and during installation, such as storage, conditioning, inspection for flaws/damage, sub-surface preparation, sealing panels and rolling of floor joints. Installation guidelines can be downloaded from www.multipanel.co.uk, or e-mailed, faxed or posted on request. Our 10 year* warranty covers the unlikely failure of the product, and will be invalid if any of our published guidelines are deemed not to have been followed. Full details on each product warranty are available online, and on request.

*multiPANEL, tilePANEL, ceilingPANEL, cleanPANEL and twinFLOOR carry a 10 year warranty. multiPANEL vanity tops carry a 2 year warranty, with 1 year for multiPANELaccess, multiPANELseal and soundPANEL.

Kits

Everything you need to install multiPANEL & tilePANEL around baths and showers in one simple kit.

multiPANEL Kits

Shower Kit



+2 GW panel adhesive

(2-sided shower)

Panel dimensions: 2400 x 1200mm or 2400 x 900mm


Kit Contents 2 multiPANEL square edge wall panels: (A) 2 × 1200mm or (B) 2 × 900mm or (C) 1 × 1200mm & 1 × 900mm 1 type A internal corner 2 type C end cap 1 multiPANEL seal kit (white) +1 silicone - clear

Wall Kit

(bath or walk-in shower)
Panel dimensions: 2400 x 598mm




End Kit (3-sided/walk-in shower, & baths) Panel dimensions: 2400 x 1200mm or 2400 x 900mm



tilePANEL Kits

Shower Kit 6

(2-sided shower) Panel dimensions: 2440 x 1220mm



End Kit

(3-sided shower) Panel dimensions: 2440 x 1220mm

